

DIS-158

Yasoude, 19 AOUT 2019

PRESS RELEASE

The Minister of Public Health informs the general public that according to **Medical Product Alert No.8/2019** of the World Health Organization (WHO), falsified versions of 4 different combinations of a lot of the **Versovac[®] rabies vaccine** of the **Sanofi-Pasteur** pharmaceutical laboratories, used for pre-exposure vaccination and post-exposure prophylaxis of rabies, are in circulation in the Philippines with the following labels:

| No | Secondary packaging (box) | | | Primary packaging (vial or bottle) | | | Primary packaging (vial or ampoule, vial or pre-filled syringe) | | |
|----|---------------------------|--------------------|-------------|------------------------------------|--------------------|-------------|---|--------------------|-------------|
| | Lot number | Manufacturing date | Expiry date | Lot number | Manufacturing date | Expiry date | Lot number | Manufacturing date | Expiry date |
| 1 | 982908 | 20 MAY 16 | 04-2019 | 98290 | 20/05/16 | 04-2019 | 9829021 (orange) | Unknown | 04-2019 |
| 2 | 981796 | 20 MAY 16 | 10-2019 | 981742 | 20/05/16 | 10-2019 | 981742 (blue) | Unknown | 10-2019 |
| 3 | 98966 | 20 MAY 17 | 10-2021 | 98963 | 20/05/17 | 10-2021 | 98963 (pink) | Unknown | 10-2021 |
| 4 | 98779 | 20/05/17 | 12-2020 | 98779 | 20/05/2017 | 12-2020 | 98779 (purple) | Unknown | 12/2020 |

The authentic manufacturer **Sanofi Pasteur** confirmed to WHO that it did not manufacture the Lots listed above.

Given that counterfeiting of a drug does not guarantee its quality, safety or effectiveness, the Minister of Public Health hereby calls on everyone to be more vigilant and if necessary, to stop the use of these fake vaccines, and to immediately inform the General Inspectorate of Pharmaceutical Services and Laboratories : Mail igpharmac@rshs.com and Tel: **655 97 85 00**.



D13-158

Yaoundé, le 24 JUL 2019.

COMMUNIQUE PRESSE

Le Ministre de la Santé Publique informe le Public que selon l'Alerte Produit Médical N°8/2019 de l'Organisation Mondiale de la Santé (OMS), des versions falsifiées de 04 combinaisons différentes de numéros de lots du vaccin antirabique VERORAB[®] des Laboratoires pharmaceutiques Sanofi-Pasteur, utilisé pour la vaccination pré exposition et la prophylaxie post-exposition à la rage, sont en circulation aux Philippines avec les mentions suivantes :

| N° | Emballage secondaire (Subcarton) | | | Emballage primaire (Boîte en Boîte) | | | Emballage primaire (boîte en cartons, Boîte en cartons pré remplis) | | |
|----|----------------------------------|---------------------|--------------------|-------------------------------------|---------------------|--------------------|---|---------------------|--------------------|
| | Numéro de lot | Date de fabrication | Date de péremption | Numéro de lot | Date de fabrication | Date de péremption | Numéro de lot | Date de fabrication | Date de péremption |
| 01 | 1420004 | 21-MAR-14 | 04-2019 | 14833 | 24/03/14 | 04-2019 | 14833 (Boîte) | Non | 04-2019 |
| 02 | 141740 | 20-NOV-14 | 04-2019 | 14792 | 24/11/14 | 04-2019 | 14792 (Boîte) | Non | 04-2019 |
| 03 | 14880 | 20-NOV-17 | 04-2021 | 14883 | 20/11/17 | 04-2021 | 14792 (Boîte) | Non | 04-2021 |
| 04 | NAUT4 | 20/03/17 | 12-2020 | NAUT5 | 24/03/17 | 12-2020 | 14792 (Boîte) | Non | 12/2020 |

Le fabricant authentique Sanofi-Pasteur a confirmé à l'OMS qu'il n'a pas fabriqué les lots énumérés ci-dessus.

La contrefaçon d'un médicament ne garantit ni sa qualité, ni son innocuité, ni son efficacité, le Ministre de la Santé Publique invite chacun à plus de vigilance et le cas échéant, à arrêter l'utilisation de ces faux vaccins, puis à communiquer rapidement l'information à l'Inspection Générale des Services Pharmaceutiques et des Laboratoires: Mail igpharmac@yahon.com et Mobile 655 97 85 00.



Le Ministre de la Santé Publique

Dr MASAOUDA Malachie